CONCORDIA

NASCO

OUR CONCORDIA COLLECTION

is a flooring and cladding collection inspired by the ancient tradition of surfaces treated with an amalgam of marble, stone, and terracotta fragments.

Concordia is a flooring and cladding collection inspired by the ancient tradition of surfaces treated with an amalgam of marble, stone, and terracotta fragments.

Concordia is a flooring and cladding collection inspired by the ancient tradition of surfaces treated with an amalgam of marble, stone, and terracotta fragments.

Concordia Venice Loft and Loft

Concordia Hangar

TILES

Hangar

12'' x 24''
24'' x 48''
24” x 24”
36'' x 36''

Mansion

12'' x 24''
24'' x 48''
24” x 24”
36'' x 36''

Loft

12'' x 24''
24'' x 48''
24” x 24”
36'' x 36''

Square

12'' x 24''
24'' x 48''
24” x 24”
36'' x 36''

Store

12'' x 24''
24'' x 48''
24” x 24”
36'' x 36''



Venice Loft

24” x 24”



Venice Square

24” x 24”



Venice Store

24” x 24”

Concordia Mansion

MOSAICS



Hangar Mosaic

2" x 2"



Mansion Mosaic

2" x 2"

Loft Mosaic

2" x 2"

Square Mosaic

2" x 2"

Store Mosaic

2" x 2"

Concordia Square



Concordia Venice Square

Concordia Store

NASCO

Concordia TDS

	TEST METHOD	REQUIRED VALUE	AVERAGE VALUES
Water absorption	ASTM C373	≤ 0.5%	≤ 0,1% (Value referred to ceramic material only)
Deep abrasion resistance	ASTM C1243	≤ 175 mm3	COMPLIANT
Linear thermal expansion	ASTM C372	NO PROVISION	α ≤ 4.4 x 10-6 °F-1 α ≤ 8 x 10-6 °C-1
Stain resistance	ASTM C1378	As indicated by manufacturer	A RESISTANT
Chemical resistance	ASTM C650	As indicated by manufacturer	A RESISTANT
Frost resistance	ASTM C1026	As indicated by manufacturer	RESISTANT
Slip resistance	DIN 51130 BCR-TORTUS ANSI A326.3	- - DCOF ≥ 0.42	R10 > 0,40 DCOF ≥ 0.42
Flame spread	ASTM E84	-	CLASS A
Thermal conductivity	EN 12524	-	λ = 1,3 W/m °K / 0.7 BTU/ft h °F
Modulus of rupture	ASTM C1505	-	≥ 6000 PSI
Shade Variation	ANSI A137.3	As indicated by manufacturer	V2 Slight variation

Concordia Square

SIZES

TILES

Height	Width	Thickness	Nominal	
12"	24"	3/8"	Yes	
24"	24"	3/8"	Yes	
24"	48"	3/4"	Yes	*PAVER*
24"	48"	3/8"	Yes	
36"	36"	3/8"	Yes	

MOSAICS

Height	Width	Thickness	Nominal
2"	2"	3/8"	Yes

TRIMS



3" x 24"
Bullnose Base

FINISHES

Textured

Matte

MOSAICS ONLY AVAILABLE IN MATTE

ORDER NOTE

All sizes are nominal and in inches. Special cut sizes and additional trim pieces are available upon meeting a required minimum order quantity.

All mosaics are available in corresponding field tiles.

3/4'' Paver is only available in a 24" x 48" Size.

INTERIORS	EXTERIORS	WALLS
APPLICATIONS		
FLOORS		HIGH-TRAFFIC

40% PRE-CONSUMER
RECYCLED CONTENT

DCOF .42 – PASS
HONED + BRUSHED FINISH