

Calacatta Viola 2CM Slabs / Lot 4

Request Quote | Sample



SIZES

- ☐ 43 X 75
- ☐ 71 x 75
- ☐ 99 X 75
- ☐ Slabs

Attenzione! Due to high demand, Marble Slab Lots are subject to change each week. Fell in love with this specific marble lot? Let it know you're serious by reserving it with a deposit.

Size listed is related only to this particular lot.

LEAD TIME

1-5 business days | 2CM Slabs, Lot 2,3,4

7-9 Weeks | All Other Lots

Attenzione! Due to high demand, Marble Slab Lots are subject to change each week. Fell in love with this specific marble lot? Let it know you're serious by reserving it with a deposit. Lead times are approximate and can vary based on quantity ordered, production schedule & delivery location.



FORMAT + THICKNESS

Slab | 2CM

All edges can be built up through mitering.

FINISHES

☐ Polished

When it comes to slabs, the finish can easily be changed to honed or polished by any fabricator.

APPLICATIONS

Counter + Vanity Tops Floors
Interiors Walls
Wet

"Wet" application only applies to honed finish.

TECHNICAL DATA

Honed finish passes required DCOF Rating of .42

Marble is a naturally occurring material sourced from mother nature herself. A range of character and color variation is to be expected and is a part of its inherent beauty. NASCO is well-known for its hands on approach during the sourcing process to properly control this range and variation so that the material not only maintains design integrity but also its inherent natural beauty.


CARE + MAINTAINCE

All marble should be properly set, sealed, and maintained.

Please refer to our Stone + Tile 101 page for a complete guide

Request Quote | Sample



A close-up photograph of a person's hand, adorned with several rings, touching a large, polished marble slab. The marble features prominent, wavy, dark grey and black veins against a light beige background. The person is wearing a green jacket and a black wristband. The text 'MORE FROM IN STOCK SLABS COLLECTION' is overlaid in white, bold, sans-serif capital letters. A light orange square with a dark grey chevron arrow pointing right is positioned below the text.

MORE FROM
IN STOCK
SLABS
COLLECTION

