




Unicolor Extreme Ivory

[Request Quote | Sample](#)



SIZES

- | | |
|------------------------------------|------------------------------------|
| <input type="checkbox"/> 12" x 24" | <input type="checkbox"/> 12" x 12" |
| <input type="checkbox"/> 18" x 18" | <input type="checkbox"/> 24" x 24" |
| <input type="checkbox"/> 4" x 24" | <input type="checkbox"/> 6" x 24" |

All sizes are nominal and in inches. Special cut sizes and additional trim pieces are available upon meeting a required minimum order quantity.

LEAD TIME

6-8 Weeks

Lead times are approximate and can vary based on quantity ordered, production schedule & delivery location.

FORMAT + THICKNESS

Tile | 3/8"

Most of our tiles are rectified and micro-beveled, however we recommend confirming with us prior should this be a necessity.



FINISHES

- ☐ Matte
- ☐ Polished

APPLICATIONS

Exterior
Heavy Traffic
Walls

Floors
Interiors

"Wet" application only applies to matte or textured finishes

TECHNICAL DATA

Matte + Textured finishes pass required DCOF
Rating of .42
Please refer to the Technical Data Sheet for the complete technical
details.

CARE + MAINTAINCE

Please refer to our Stone + Tile 101 page for a
complete guide
www.nascostonetile.com/stone-tile-101

Request Quote | Sample



