


GRO 202 Mosaic



SIZES

- ☐ 2" x 2" Mosaic
- ☐ Mosaic

All sizes are nominal and in inches. Special cut sizes and additional trim pieces are available upon meeting a required minimum order quantity.

All mosaics are available in corresponding field tiles.

LEAD TIME

6-8 Weeks

Lead times are approximate and can vary based on quantity ordered, production schedule & delivery location.

TRIMS

Bullnose Base: 3" x 24"
Cove Base: 6" x 12"

FORMAT + THICKNESS

Mosaic | 3/8"
Mosaic is mesh-mounted.



FINISHES

☐ Matte

This matte is a natural finish that replicates the finish of the material on which it is based. For a stone and concrete effect tile, the surface will be very similar to the look and feel of the natural material.

APPLICATIONS

Floors
Interiors

Heavy Traffic
Walls

"Wet" application only applies to matte or textured finishes

SUSTAINABILITY

Recycled Content 20%

TECHNICAL DATA

Matte + Textured finishes pass required DCOF

Rating of .42

Please refer to the Technical Data Sheet for the complete technical details.

CARE + MAINTAINANCE

Please refer to our Stone + Tile 101 page for a complete guide

www.nascostonetile.com/stone-tile-101

Request Quote | Sample



PORCELAIN
MORE FROM
MOSAICS
COLLECTION

