


Chablis Gold

Request Quote | Sample



SIZES

- | | |
|------------------------------------|---|
| <input type="checkbox"/> 12" x 24" | <input type="checkbox"/> 12" x 12" |
| <input type="checkbox"/> 18" x 36" | <input type="checkbox"/> 18" x 18" |
| <input type="checkbox"/> 2 CM | <input type="checkbox"/> 24" x 48" |
| <input type="checkbox"/> 24" x 24" | <input type="checkbox"/> 3 CM |
| <input type="checkbox"/> 3" x 6" | <input type="checkbox"/> 3.25" x 15.75" |
| | Chevron |
| <input type="checkbox"/> 36" x 36" | <input type="checkbox"/> 4" x 12" |
| <input type="checkbox"/> 48" x 48" | <input type="checkbox"/> 6" x 6" |
| <input type="checkbox"/> 6" x 12" | <input type="checkbox"/> Mosaic |
- Sizes listed are recommended, any and all sizes are available upon request.

All non-stocked sizes have a minimum quantity of 300 SF.



LEAD TIME

1-5 Business Days | 12" x 12" Polished + Honed 12" x

24" Polished + Honed 18" x 18"

Polished + Honed 24" x 24" + 3" x 6" + 4" x 12" + 3/4"

+ 1 1/4" Polished

9-11 Weeks | All Other Sizes + Finishes

Lead times are approximate and can vary based on quantity ordered,
production schedule & delivery location.

TRIMS

All available trims such as bases, saddles, moldings, and treads are
available in any size, edge detail, and thickness upon request.

FORMAT + THICKNESS

Slab | 3/4" • 1.25"

Tile | 3/8" • 5/8" • 1/2" • 3/4"

Thickness is determined by product size, application, and format.

Most of our tiles are rectified and micro-beveled, however we
recommend confirming with us prior should this be a necessity.

FINISHES

- ☐ Honed
- ☐ Polished

APPLICATIONS

Floors
Walls

Interiors
Wet

"Wet" application only applies to honed finish.

TECHNICAL DATA

Honed finish passes required DCOF Rating of .42

Marble is a naturally occurring material sourced from mother nature
herself. A range of character and color variation is to be expected and is
a part of its inherent beauty. Nasco is well-known for its hands on
approach during the sourcing process to properly control this range and
variation so that the material not only maintains design integrity but also
its inherent natural beauty. Images are intended to be used as a general
guide.

CARE + MAINTAINCE

All marble should be properly set, sealed, and
maintained.

Please refer to our Stone + Tile 101 page for a
complete guide
nasco.com/stone-tile-101



Request Quote | Sample

MORE FROM
TILE
COLLECTION

