
## NASCO

# Agglo Mafi



## Join our design community.

sign up for launches, updates, and all things Nasco

### Email

#### SIZES

12" x 24" 12" x 12" 16" x 16" 18" x 18" 24" x 48" 24" x 24" 48" x 48" Slabs 1.2 CM Slabs 2CM Slabs 3CM

## Sign up

Sizes listed are recommended. Any size is available upon request.\*

Slabs available in 120" x 49"

All sizes are nominal and in inches.

\*Special cut sizes and additional trim pieces are available upon meeting a minimum order quantity.

\*Custom colors and aggregate sizes are also available upon request with a minimum order quantity of 10,000 SF.

Please note: all of our terrazzo products are RESIN BASED (not concrete based)

#### LEAD TIME

**1-5 Business Days**| 24 x 24 honed **7-9 Weeks** | All other sizes + finishes Lead times are approximate and can vary based on quantity ordered, production schedule & delivery location.

#### TRIMS

All available bases and coping are available in any size and thickness upon request.

#### **FORMAT + THICKNESS**

Fluted | 2CM Slab | 1/2 - 3/4 - 1.25 Tile | 1/2 - 3/4 - 1.25 Thickness is determined by product size an frimat. Sizes larger than 24x48 typically require a minimum thickness 0.3/4".

1/2" Thick Slabs are only recommended for wall applications.

Most of our tiles are rectified and micro-beveled, however we recommend confirming with us prior should this be a necessity.

#### FINISHES

Brushed Honed Fluted Polished Brushed finish is not available in 16" x 16" and 24" x 24".

Fluted finish available in any tile size in increments of 12"

Order quantity should be in increments of 40 SF

Bar size is 15"

#### APPLICATIONS

Floors Interiors Wet Heavy Traffic

"Wet" application only applies to honed or textured finishes.

## Join our design community.

sign up for launches, updates and all things Nasco

#### SUSTAINABILITY

LEED 🕹

\_

Environmental Policy 🕹

## invironmental Folicy —

#### TECHNICAL DATA

Honed finish passes required DCOF Rating of .42 Agglo is comprised of 97% Marble and 3% Resin.

Please refer to the Technical Data Sheet for the complete technical

CARE + MAINTENAN	<u> </u>
Please refer to our Stone + Tile 101 page for a complete guide	www.nascostonetile.com/stone-tile-101
page for a complete galae	
	X
	Join our design community.
	sign up for launches, updates,
	and all things Nasco