

FDM 111

[Request Quote](#) | [Sample](#)



SIZES

- ☐ 12" x 24"
- ☐ 24" x 24"
- ☐ 48" x 48"
- ☐ 24" x 48"
- ☐ 3" x 12"

All sizes are nominal and in inches. Special cut sizes and additional trim pieces are available upon meeting a required minimum order quantity.

LEAD TIME

8 – 10 Weeks | All sizes and finishes

Lead times are approximate and can vary based on quantity ordered, production schedule & delivery location.

TRIMS

Bullnose Base: 3.5" x 24"



FORMAT + THICKNESS

Tile | 3/8"

Most of our tiles are rectified and micro-beveled, however we recommend confirming with us prior should this be a necessity.

FINISHES

☐ Polished

APPLICATIONS

Exterior
Heavy Traffic
Walls

Floors
Interiors

"Wet" application only applies to matte or textured finishes

SUSTAINABILITY

Recycled Content 20%

TECHNICAL DATA

Matte + Textured finishes pass required DCOF

Rating of .42

Please refer to the Technical Data Sheet for the complete technical details.

CARE + MAINTAINCE

Please refer to our Stone + Tile 101 page for a complete guide

www.nascostonetile.com/stone-tile-101

Request Quote | Sample





MORE FROM
FDM
COLLECTION

