


METRO MOSAIC



N A S C O

OUR METRO COLLECTION

is a porcelain subway collection that adds a modern twist on a classic look.




Metro White Glossy Hex 2"




Metro Grey Matte Penny Round 1"


MOSAICS




Black Matte Hex 1"
on 12" x 12" Mesh



Grey Matte Hex 1"
on 12" x 12" Mesh




Black Matte Hex 2"
on 12" x 12" Mesh




Grey Matte Hex 2"
on 12" x 12" Mesh




Black Matte Penny Round 1"
on 12" x 12" Mesh




Grey Matte Penny Round 1"
on 12" x 12" Mesh




Quickship Available




Metro White Glossy Hex 1"




White Glossy Hex 1"




White Glossy Hex 2"




White Glossy Penny Round 1"



White Matte Penny Round 1"



White Matte Hex 1"



Quickship Available



Metro White Matte Hex 1"



PERFORMANCE CHARACTERISTICS

TEST	STANDARD USED	MIN. REQUIREMENTS	RESULTS
Water Absorption	ASTM C373-18	≤ 0.50%	0.04%-0.09%
DCOF (Matte only)	ANSI A326.3-2017	≥ 0.42	0.54
Bending / Breaking Strength	ASTM C648	> 250 lbs	> 250 lbs
Chemical Resistance	ASTM C650-04	min.UB	Conforms
Frost Resistance	EN ISO 10545-12	Required	Conforms
Stain Resistance	ASTM C1378-04	>Class 3	Conforms

NOTE

Since there are variations in all fired ceramic and natural products, tile supplied for your particular installation may not match samples. Final confirmation should be made from actual tiles prior to installation. Manufactured in accordance with ANSI A137.1 standards. Not for use on ramps. Water, oil, grease, improper drainage and certain footwear can create slippery conditions. Floor applications expected to be exposed to these conditions require extra caution in product selection.

PACKING DETAILS

TILE SIZE	PC/BOX	SF/BOX	KGS/BOX	BOX/PALLET
1" Hexagon	20	16.79	16.00	54
2" Hexagon	20	19.73	20.20	54
1" Penny round	20	19.73	17.50	54
1"x3" Herringbone	20	18.83	20.00	54
Fish scale mosaic	20	19.10	21.00	54

SIZES

MOSAICS

Dimension	Thickness	Nominal
1"	1/4"	Yes
2"	1/4"	Yes

FINISHES



Glossy



Matte

ORDER NOTE

All sizes are nominal and in inches. Special cut sizes and additional trim pieces are available upon meeting a required minimum order quantity.

Most of our tiles are rectified and micro-beveled, however we recommend confirming with us prior should this be a necessity. Mosaic is mesh-mounted.

All mosaics are available in corresponding field tiles.

All mosaics are on a 12" x 12" mesh.

INTERIORS	EXTERIORS	WALLS
APPLICATIONS		
FLOORS		HIGH-TRAFFIC



DCOF .42 – PASS
HONED + BRUSHED FINISH

