NASCO Stone+Tile

PRESENTING GALAXY COLLECTION



Stone+Tile

GALAXY COLLECTION THE MOST INNOVATIVE TECHNOLOGY

GALAXY IS THE FIRST AMERICAN-MADE PORCELAIN SLAB COLLECTION IN LARGE FORMAT.


INCOMPARABLE BEAUTY OF MARBLE AND SENSATION OF EXCEPTIONAL LUXURY CREATES A PERFECT PRODUCT TO ELEVATE ANY ARCHITECTURAL DESIGN.

GALAXY OFFERS SIX COLORS, FROM THE CLASSIC CARRARA LOOK TO THE DEEP AND MYSTERIOUS SHADES OF PRECIOUS METAL.

The polished finish of the product brings out beauty of the stone and highly reflects the light to create the most luxurious interiors; when the matte and smooth finishes of the honed material makes it possible to create any interior in contemporary and minimalistic style without losing its humbled luxury.

SIZES, FINISHES & THICKNESS





FINISHES

- Honed
- Polished

THICKNESS

- 6 mm
- 12 mm

2CM PORCELAIN SLAB COLLECTION 126"x60" | unrectified

NASCO Stone+Tile



PURE WHITE

CALCATTA CLASSICO

ZEBRINO

CALCATTA LINCOLN CALACATTA ORO

CALACATTA WHITE

STATUARIO



TAJ MAHAL

PLATINUM GREY

PIETRA GREY

NERO MARQUINA

Zebrino



Zebrino

 SIZES
 | 126"x60"
 | 120"x60"
 | 30"x60"
 | 30"x30"
 THICKNESS
 | 12 mm
 | 6 mm

 FINISHES
 Polished
 | Honed
 |
 | 12 mm
 | 6 mm

F4 F1 F2 F3

Wall | Platinum Grey | Floor | Zebrino

Wall | Zebrino | Floor | Zebrino | Counters | Calacatta Classico



Taj Mahal





Taj Mahal

 SIZES
 |
 126"×60"
 |
 120"×60"
 |
 30"×30"

 FINISHES
 |
 Polished
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |
 |

THICKNESS | 12 mm | 6 mm





1

ö



Wall & Counter | Taj Mahal | Floor | Calacatta Oro

TYL

24.5

Calacatta Oro



Calacatta Oro



Block A (book-match) Block B (book-match)

F1

F2

F3

F4

Wall & Counters | Calacatta Oro | Floor | Taj Mahal

PE

Wall | Zebrino | Floor | Calacatta Oro

Universit

E BO

0

0

Wall | Calacatta Oro | Floor | Calacatta Classico

Calacatta Classico



Calacatta Classico



Block A (book-match) Block B (book-match)

F1

F2

F3

F4

Wall | Taj Mahal | Floor & Furniture | Calacatta Classico

Wall | Calacatta Classico | Floor & Furniture | Calacatta Classico



Statuario



Statuario



Block A (book-match) Block B (book-match)







Platinum Grey



Platinum Grey

Block A (book-match) Block B (book-match) F1

F2

F3

F4







2CM PORCELAIN SLAB COLLECTION

126"x60" | unrectified



Stone+Tile

PURE WHITE

finish options: Honed & Polished

2CM PORCELAIN SLAB COLLECTION

126"x60" | unrectified



PURE WHITE

finish options:

Honed & Polished

Stone+Tile

0 = 101


126"x60" | unrectified



CALCATTA LINCOLN

finish options: Satin & Polished

Book-match is available*



126"x60" | unrectified



CALCATTA LINCOLN

finish options: Satin & Polished

Book-match is available*

2CM PORCELAIN SLAB COLLECTION 126"x60" | unrectified



Stone+Tile

CALCATTA LINCOLN

finish options: Satin & Polished

Book-match is available*

126"x60" | unrectified



Stone+Tile

PIETRA GREY

126"x60" | unrectified



PIETRA GREY



126"x60" | unrectified



Stone+Tile

NERO MARQUINA

126"x60" | unrectified





NERO MARQUINA

126"x60" | unrectified



NERO MARQUINA

Galaxy Technical Information

PHYSICAL / VISUAL PROPERTIES	ASTM TEST	INDUSTRY STANDARDS	NASCO RESULTS	
Water Absorption	C373	Impervious < 0.5%	< 0.1%	
Thickness Dimension	C499	Range \pm 0.02 Inc. Max.	≤± 0.02 lnc.	
Facial Dimension (Length/Width Variation)	C499	± 0.25%	≤± 0.25%	
Wedging	C502	± 0.25%	≤± 0.25%	
Dry Bond Strength	C482	≥ 150 psi	≥ 200 psi	
Breaking Strength	C648	≥ 175 lb.	≥ 300 lb.	
Hardness (MOHS)	Scratch Test (No Regulation)	Range 0 — 10	≥ 7	
Deep Abrasion Resistance	C1243	Impervious (Porcelain) Class P1: ≤ 175 mm	≤ 175 mm	
Frost Resistance	C1026	No sample must show alterations to the surfaces	No evidence of damage	
Robinson Test	AC627	As reported	Extra Heavy	
Chemical Resistance	C650	No Requirement Range E — A	Class A	
Stain Resistance	C1378	No Requirement Range E — A	Class A*	
DCOF (Coefficient of Friction)	BOT 3000	≥ 0.42*	≥0.42 – ≤0.60*	
Aesthetic Classification	Visual Evaluation Shade & Texture	No Requirement Range V0 – V4	V1 – V3	
LRV (Light Reflectance Value)	C609	No Requirement 10 to 80 depending on Range 0 -100 style/color selection		

Rectified



Stone+Tile

NASCO










🧭 ecoScorecard[™]

* All values are given for Matte or Honed material. No values are given for Polished material. Nasco does not recommend polished surfaces in the areas subject to exposure from grease, oil or water. The above information is a subject to change. Individual product testing can be conducted by request.

For level interior spaces to be walked upon when wet see ANSI A137.1 section 6.2.2.1.10 – Section 9.6 for test procedures.

Galaxy Packaging Information

PACKAGING	126" x 60"	120" x 60"	60" x 60"	60" x 30"	30" x 30"
Box/Pieces	1	1	1	3	4
Box/Sq. Ft	51.667	48.438	24.219	36.329	24.219
Pallet/Box	22	50	48	22	36
Pallet/Sq. Ft	1136.67	2421.90	1162.512	799.238	871.884
Thickness (mm)	12	6	6	6	6
Weight Lb/Box	297.79	139.5	69.75	104.63	69.75





Our products are GREENGUARD Certified. The GREENGUARD Certification Program[™] is internationally recognized for evaluating product emissions and certifying building materials, furnishings, finishes and cleaning products and processes that meet stringent indoor air quality criteria defined by GREENGUARD Environmental Institute (GEI). Products undergo rigorous, third-party testing to determine their impact on indoor air pollution with requirements for ongoing verification.

The GREENGUARD Environmental Institute recently announced that all flooring products certified to the stringent GREENGUARD Children & Schools[™] standard can earn valuable LEED[™] credits across multiple building rating systems. We have more than 70 flooring products certified that can help earn up to four (4) points under the low-emitting material credit (EQ 4.3).



Certifications are available upon request.



ORDER YOUR SAMPLES TODAY!

WWW.NASCOSTONETILE.COM