

# ODYSSEY



N A S C O

# OUR ODYSSEY COLLECTION

is a modern through-color porcelain designed in six colors. Three warm tones and three cool tones begin the balance that odyssey will bring to your high end residential or smart commercial space.

Odyssey is also available in five sizes and is complemented by seven different decorative options as part of the offered package.

Society today demands sophisticated, clean, elegant finishes to their surfaces. Timeless class is achieved with Odyssey.



Odyssey Neutro



Odyssey Ash

# TILES




**Argent**

12" x 24"  
24" x 48"  
24" x 24"  
36" x 36"




**Ash**

12" x 24"  
24" x 48"  
24" x 24"  
36" x 36"



**Beige**

12" x 24"  
24" x 48"  
24" x 24"  
36" x 36"




**Neutro**

12" x 24"  
24" x 48"  
24" x 24"  
36" x 36"



**Noce**

12" x 24"  
24" x 48"  
24" x 24"  
36" x 36"




**Sand**

12" x 24"  
24" x 48"  
24" x 24"  
36" x 36"



Odyssey Argent



Odyssey Noce

MODEL:	<b>Odyssey</b>
SIZE:	<b>60 x 60</b>
PRODUCT TYPE:	<b>PORCELAIN TILES</b>
GROUP:	<b>B Ia</b>

DATE:	07/10/2019
-------	------------

TESTS CARRIED OUT	RESULTS	
UNE-EN ISO 10545-2 DIMENSIONS AND SURFACE QUALITY		<b>CONFORMS TO STANDARD</b>
UNE-EN ISO 10545-3 WATER ABSORPTION	AVERAGE VALUE (%)	<b>&lt; 0,5 %</b>
UNE-EN-ISO 10545-4 MODULUS OF RUPTURE	BREAKING STRENGTH ( N )	<b>1.600 - 2.400 N</b>
	MODULUS OF RUPTURE ( N/mm <sup>2</sup> )	<b>35 - 45 N/mm<sup>2</sup></b>
UNE-EN ISO 10545-6 RESISTANCE TO DEEP ABRASION	REMOVED VOLUME	<b>110 - 130 mm<sup>3</sup></b>
UNE-EN ISO 10545-9 RESISTANCE TO THERMAL SHOCK	THERMAL SHOCK	<b>RESISTS</b>
UNE-EN ISO 10545-12 FROST RESISTANCE	RESULTS	<b>RESISTS</b>
UNE-EN ISO 10545-13 CHEMICAL RESISTANCE	AMMONIUM CHLORIDE 100 g/l	<b>A</b>
	SODIUM HYPOCHLORITE 20 mg/l	<b>A</b>
	HYDROCHLORIC ACID 3 %	<b>CONFORMS TO STANDARD</b>
	CITRIC ACID 100 g/l	
UNE-EN ISO 10545-14 STAIN RESISTANCE	POTASSIUM HYDROXIDE 30 g/l	
	GREEN AGENT IN LIGHT OIL	<b>5</b>
	IODINE SOLUTION IN ALCOHOL	<b>5</b>
	OLIVE OIL	<b>5</b>

OBSERVATIONS:

LABORATORY:








Odyssey Beige

# SIZES

## TILES

Height	Width	Thickness	Nominal
12"	24"	3/8"	Yes
24"	24"	3/8"	Yes
24"	48"	3/8"	Yes
36"	36"	3/8"	Yes

## TRIMS



2.5" x 35"  
3.5" x 24"  
Bullnose Base

## FINISHES



Matte

## ORDER NOTE

All sizes are nominal and in inches. Special cut sizes and additional trim pieces are available upon meeting a required minimum order quantity.

Most of our tiles are rectified and micro-beveled, however we recommend confirming with us prior should this be a necessity.

INTERIORS	EXTERIORS	WALLS
APPLICATIONS		
FLOORS		HIGH-TRAFFIC



31% PRE-CONSUMER  
RECYCLED CONTENT



DCOF .42 – PASS  
HONED + BRUSHED FINISH

