

BASALTICO

N A S C O

OUR BASALTICO COLLECTION

is a color body porcelain tile inspired by the natural elegance of volcanic stone, a contemporary look designed to satisfy the most sophisticated aesthetic and architectonic tastes and requirements.

With the option of using either a natural or grip finish, Basaltico is ideal for both walls and floors. The five sizes, available in rectified format, also help to create clean and modern atmospheres.

The best part is that the collection is entirely Made and stocked in USA.



Basaltico Beige




Basaltico Caribou

TILES



Beige

12" x 12"
12" x 24"
6" x 24"
24" x 24"
18" x 36"
24" x 48"




Caribou

12" x 12"
12" x 24"
6" x 24"
24" x 24"
18" x 36"
24" x 48"




Grey

12" x 12"
12" x 24"
6" x 24"
24" x 24"
18" x 36"
24" x 48"




White

12" x 12"
12" x 24"
6" x 24"
24" x 24"
18" x 36"
24" x 48"




Charcoal

12" x 12"
12" x 24"
6" x 24"
24" x 24"
18" x 36"
24" x 48"




Quickship Available

MOSAICS




Beige

2" x 2" Mosaic on 12" x 12" Mesh




Caribou

2" x 2" Mosaic on 12" x 12" Mesh




Grey

2" x 2" Mosaic on 12" x 12" Mesh




White

2" x 2" Mosaic on 12" x 12" Mesh



Charcoal

2" x 2" Mosaic on 12" x 12" Mesh



Quickship Available



Basaltine Light Grey



Basaltico White

Basaltico Charcoal














Basaltico Sand

Basaltico Caribou



SPECIFICATION REFERENCE E.N. 14411 · APPENDIX G · GROUP B I A · GL	TEST METHOD	REFERENCE VALUE		DECLARED VALUE
	Dynamic coefficient of friction	ANSI-137-1	-	≥ 0.50 GRIP
	Dynamic coefficient of friction	ANSI-137-1	-	≥ 0.42 NATURAL
	Chemical resistance	ASTM-650	-	NOT AFFECTED
	Resistance to freeze	ASTM-C1026	-	RESISTANT
	Surface abrasion	ASTM-C1027	-	IV
	Stain resistance	ASTM-C1378	-	NOT AFFECTED
	Water absorption	ASTM-C373	-	$\leq 0.5\%$
	Breaking strength	ASTM-C648	-	≥ 400
	Scratch hardness	MOHS	-	≥ 7

SIZES

TILES

Height	Width	Thickness	Nominal
12"	24"	3/8"	Yes
12"	24"	3/8"	Yes
6"	24"	3/8"	Yes
24"	24"	3/8"	Yes
18"	36"	3/8"	Yes
24"	48"	3/8"	Yes

MOSAICS

Height	Width	Thickness	Nominal
12"	12"	3/8"	Yes

TRIMS



3" x 12"
Bullnose Base



6" x 12"
Cove Base

FINISHES



Matte



Textured

MOSAICS NOT AVAILABLE IN MATTE

ORDER NOTE

All sizes are nominal and in inches. Special cut sizes and additional trim pieces are available upon meeting a required minimum order quantity.

Textured Finish is only available in a 12" x 12".

All mosaics are available in corresponding field tiles.

INTERIORS	EXTERIORS	WALLS
WET	APPLICATIONS	
FLOORS	FACADE	HIGH-TRAFFIC



26% PRE-CONSUMER
RECYCLED CONTENT



DCOF .42 – PASS
HONED + BRUSHED FINISH

