

REQUIREMENTS FOR LEED CERTIFICATION: VERA COLLECTION

In accordance with de LEED certification the ceramic tiles of the Vera series can contribute to LEED points in the following requirements:

MR-Material & Resources (1)	MR Credit 4.1-4.2 Recycled Materials	Minimum amount of pre-consumer recycled content: 64%
MR-Material & Resources (2)	Content MR Credit 5.1-5.2 Regional Materials	Use of materials in a radius <800 km.
EQ-Indoor Environmental Quality (3)	EQ Credit 4.3 Low-Emitting Materials	No VOCs emission
SS-Sustainable Sites (4)	SS Credit 7.1 Heat Island Effect	SRI (Light colours) >29.

(1) Ceramic tiles of the Vera/Voli series contain a percentage of preconsumer recycled material of 64%. Certificate of the content of recycled material is attached.

(2) Ceramic tiles are manufactured using an atomized powder as raw material, where the distance of origin is less than 800 km. Certificates are attached.

(3) None of the ceramic tiles of the Vera/Voli series release VOC's (Volatile Organic Compounds) and therefore do not emit any air pollution, which translates into an increase in Indoor Environmental Quality.

(4) Ceramic tiles with light colours have a Solar Reflectance Index (SRI) equal to or greater than 29, contributing to the reduction of the "heat island effect".